

2022 Island Spas Specifications and Features

Spa Models Capacity~ Dry Weight	Size	Jets	Seats	Pumps	
				North America (60 Hz)	Export (50 Hz)
Isla Margarita 71 480 gal (1817 L) 1000 lbs (454 kg)	108 in. x 91 in. x 36 in. 274 cm x 231 cm x 91 cm	71	9	(2) 6.0 BHP (3.0 HP continuous) 1-Spd (1) 3.0 BHP (1.5 HP continuous) 1-Spd	(2) 3.0 HP 1-Spd (1) 1.0 HP 1-Spd
Bimini 72 620 gal (2347 L) 1258 lbs (571 kg)	91 in. x 132 in. x 37 in. 231 cm x 335 cm x 94 cm	72	10	(2) 6.0 BHP (3.0 HP continuous) 1-Spd (1) 5.0 BHP (2.5 HP continuous) 1-Spd	(3) 3.0 HP 1-Spd
Bimini 52 610 gal (2309 L) 1258 lbs (571 kg)	91 in. x 132 in. x 37 in. 231 cm x 335 cm x 94 cm	52	10	(2) 6.0 BHP (3.0 HP continuous) 1-Spd	(2) 3.0 HP 1-Spd
Grand Cayman 62 405 gal (1533 L) 947 lbs (430 kg)	91 in. x 91 in. x 36 in. 231 cm x 231 cm x 91 cm	62	7	(2) 6.0 BHP (3.0 HP continuous) 1-Spd (1) 3.0 BHP (1.5 HP continuous) 1-Spd	(2) 3.0 HP 1-Spd (1) 1.0 HP 1-Spd
Grand Cayman 61 DB 410 gal (1552 L) 947 lbs (430 kg)	91 in. x 91 in. x 36 in. 231 cm x 231 cm x 91 cm	61	7	(2) 6.0 BHP (3.0 HP continuous) 1-Spd (1) 3.0 BHP (1.5 HP continuous) 1-Spd	(2) 3.0 HP 1-Spd (1) 1.0 HP 1-Spd
Grand Cayman 52 380 gal (1438 L) 947 lbs (430 kg)	91 in. x 91 in. x 36 in. 231 cm x 231 cm x 91 cm	52	7	(2) 6.0 BHP (3.0 HP continuous) 1-Spd	(2) 3.0 HP 1-Spd
Grand Cayman 51 DB 405 gal (1533 L) 947 lbs (430 kg)	91 in. x 91 in. x 36 in. 231 cm x 231 cm x 91 cm	51	7	(1) 6.0 BHP (3.0 HP continuous) 1-Spd (1) 5.0 BHP (2.5 HP continuous) 1-Spd (1) 3.0 BHP (2.5 HP continuous) 1-Spd	(2) 3.0 HP 1-Spd (1) 1.0 HP 1-Spd
Grand Cayman 46 400 gal (1514 L) 947 lbs (430 kg)	91 in. x 91 in. x 36 in. 231 cm x 231 cm x 91 cm	46	7	(2) 5.0 BHP (2.5 HP continuous) 1-Spd	(2) 3.0 HP 1-Spd
Grand Cayman 45 DB 400 gal (1514 L) 947 lbs (430 kg)	91 in. x 91 in. x 36 in. 231 cm x 231 cm x 91 cm	45	7	(2) 5.0 BHP (2.5 HP continuous) 1-Spd (1) 3.0 BHP (1.5 HP continuous) 1-Spd	(2) 3.0 HP 1-Spd (1) 1.0 HP 1-Spd
Grand Cayman 44 SB 410 gal (1552 L) 947 lbs (430 kg)	91 in. x 91 in. x 36 in. 231 cm x 231 cm x 91 cm	44	7	(1) 6.0 BHP (3.0 HP continuous) 1-Spd (1) 3.0 BHP (1.5 HP continuous) 1-Spd	(1) 3.0 HP 1-Spd (1) 1.0 HP 1-Spd
Grand Cayman 33 465 gal (1760 L) 947 lbs (430 kg)	91 in. x 91 in. x 36 in. 231 cm x 231 cm x 91 cm	33	7	(2) 3.0 BHP (1.5 HP continuous) 1-Spd	(2) 1.0 HP 1-Spd
Grand Cayman 33 DB 375 gal (1420 L) 947 lbs (430 kg)	91 in. x 91 in. x 36 in. 231 cm x 231 cm x 91 cm	33	7	(3) 3.0 BHP (1.5 HP continuous) 1-Spd	(3) 1.0 HP 1-Spd
Grand Cayman 32 SB 405 gal (1533 L) 947 lbs (430 kg)	91 in. x 91 in. x 36 in. 231 cm x 231 cm x 91 cm	32	7	(1) 5.0 BHP (2.5 HP continuous) 1-Spd (1) 3.0 BHP (1.5 HP continuous) 1-Spd	(1) 3.0 HP 1-Spd (1) 1.0 HP 1-Spd
Grand Bahama 62 390 gal (1476 L) 947 lbs (430 kg)	91 in. x 91 in. x 36 in. 231 cm x 231 cm x 91 cm	62	6	(2) 6.0 BHP (3.0 HP continuous) 1-Spd (1) 3.0 BHP (1.5 HP continuous) 1-Spd	(2) 3.0 HP 1-Spd (1) 1.0 HP 1-Spd
Grand Bahama 61 DB 390 gal (1476 L) 947 lbs (430 kg)	91 in. x 91 in. x 36 in. 231 cm x 231 cm x 91 cm	61	6	(2) 6.0 BHP (3.0 HP continuous) 1-Spd (1) 3.0 BHP (1.5 HP continuous) 1-Spd	(2) 3.0 HP 1-Spd (1) 1.0 HP 1-Spd
Grand Bahama 52 395 gal (1495 L) 947 lbs (430 kg)	91 in. x 91 in. x 36 in. 231 cm x 231 cm x 91 cm	52	6	(2) 6.0 BHP (3.0 HP continuous) 1-Spd	(2) 3.0 HP 1-Spd
Grand Bahama 51 DB 395 gal (1495 L) 947 lbs (430 kg)	91 in. x 91 in. x 36 in. 231 cm x 231 cm x 91 cm	51	6	(1) 6.0 BHP (3.0 HP continuous) 1-Spd (1) 5.0 BHP (2.5 HP continuous) 1-Spd (1) 3.0 BHP (1.5 HP continuous) 1-Spd	(2) 3.0 HP 1-Spd (1) 1.0 HP 1-Spd
Grand Bahama 45 400 gal (1514 L) 947 lbs (430 kg)	91 in. x 91 in. x 36 in. 231 cm x 231 cm x 91 cm	45	6	(2) 5.0 BHP (2.5 HP continuous) 1-Spd	(2) 3.0 HP 1-Spd
Grand Bahama 45 DB 405 gal (1533 L) 947 lbs (430 kg)	91 in. x 91 in. x 36 in. 231 cm x 231 cm x 91 cm	45	6	(2) 5.0 BHP (2.5 HP continuous) 1-Spd (1) 3.0 BHP (1.5 HP continuous) 1-Spd	(2) 3.0 HP 1-Spd (1) 1.0 HP 1-Spd

BHP: Brake Horsepower | HP: Horsepower | *Upgrade Colors | **Bimini available color | ***Standard on All Models Except for Santa Cruz | +Isla Margarita Available Color | ++Where Allowed By Law | SB: Single Footblaster | DB: Dual Footblaster | *Refer to Owner's Manual for Full Description | ~Volumes are measured per APSP-14 testing. Volumes in field may vary by customers preference.

Grand Bahama 44 SB 405 gal (1533 L) 947 lbs (430 kg)	91 in. x 91 in. x 36 in. 231 cm x 231 cm x 91 cm	44	6	(1) 6.0 BHP (3.0 HP continuous) 1-Spd (1) 3.0 BHP (1.5 HP continuous) 1-Spd	(1) 3.0 HP 1-Spd (1) 1.0 HP 1-Spd
Grand Bahama 33 390 gal (1476 L) 947 lbs (430 kg)	91 in. x 91 in. x 36 in. 231 cm x 231 cm x 91 cm	33	6	(2) 3.0 BHP (1.5 HP continuous) 1-Spd	(2) 1.0 HP 1-Spd
Grand Bahama 33 DB 405 gal (1533 L) 947 lbs (430 kg)	91 in. x 91 in. x 36 in. 231 cm x 231 cm x 91 cm	33	6	(3) 3.0 BHP (1.5 HP continuous) 1-Spd	(3) 1.0 HP 1-Spd
Grand Bahama 32 SB 385 gal (1457 L) 947 lbs (430 kg)	91 in. x 91 in. x 36 in. 231 cm x 231 cm x 91 cm	32	6	(1) 5.0 BHP (2.5 HP continuous) 1-Spd (1) 3.0 BHP (1.5 HP continuous) 1-Spd	(1) 3.0 HP 1-Spd (1) 1.0 HP 1-Spd
Barbados 63 410 gal (1552 L) 908 lbs (412 kg)	91 in. x 91 in. x 36 in. 231 cm x 231 cm x 91 cm	63	5	(2) 6.0 BHP (3.0 HP continuous) 1-Spd	(2) 3.0 HP 1-Spd
Barbados 61 DB 400 gal (1514 L) 908 lbs (412 kg)	91 in. x 91 in. x 36 in. 231 cm x 231 cm x 91 cm	61	5	(2) 6.0 BHP (3.0 HP continuous) 1-Spd (1) 3.0 BHP (1.5 HP continuous) 1-Spd	(2) 3.0 HP 1-Spd (1) 1.0 HP 1-Spd
Captiva 52 330 gal (1249 L) 845 lbs (383 kg)	84 in. x 84 in. x 36 in. 213 cm x 213 cm x 91 cm	52	7	(2) 6.0 BHP (3.0 HP continuous) 1-Spd	(2) 3.0 HP 1-Spd
Captiva 49 DB 350 gal (1325 L) 845 lbs (383 kg)	84 in. x 84 in. x 36 in. 213 cm x 213 cm x 91 cm	49	7	(1) 6.0 BHP (3.0 HP continuous) 1-Spd (1) 5.0 BHP (2.5 HP continuous) 1-Spd (1) 3.0 BHP (1.5 HP continuous) 1-Spd	(2) 3.0 HP 1-Spd (1) 1.0 HP 1-Spd
Captiva 46 340 gal (1287 L) 845 lbs (383 kg)	84 in. x 84 in. x 36 in. 213 cm x 213 cm x 91 cm	46	7	(2) 5.0 BHP (2.5 HP continuous) 1-Spd	(2) 3.0 HP 1-Spd
Captiva 45 DB 345 gal (1306 L) 845 lbs (383 kg)	84 in. x 84 in. x 36 in. 213 cm x 213 cm x 91 cm	45	7	(2) 5.0 BHP (2.5 HP continuous) 1-Spd (1) 3.0 BHP (1.5 HP continuous) 1-Spd	(2) 3.0 HP 1-Spd (1) 1.0 HP 1-Spd
Captiva 44 SB 335 gal (1268 L) 845 lbs (383 kg)	84 in. x 84 in. x 36 in. 213 cm x 213 cm x 91 cm	44	7	(1) 6.0 BHP (3.0 HP continuous) 1-Spd (1) 3.0 BHP (1.5 HP continuous) 1-Spd	(1) 3.0 HP 1-Spd (1) 1.0 HP 1-Spd
Captiva 33 340 gal (1287 L) 845 lbs (383 kg)	84 in. x 84 in. x 36 in. 213 cm x 213 cm x 91 cm	33	7	(2) 3.0 BHP (1.5 HP continuous) 1-Spd	(2) 1.0 HP 1-Spd
Captiva 33 DB 345 gal (1306 L) 845 lbs (383 kg)	84 in. x 84 in. x 36 in. 213 cm x 213 cm x 91 cm	33	7	(3) 3.0 BHP (1.5 HP continuous) 1-Spd	(3) 1.0 HP 1-Spd
Captiva 32 SB 340 gal (1287 L) 845 lbs (383 kg)	84 in. x 84 in. x 36 in. 213 cm x 213 cm x 91 cm	32	7	(1) 5.0 BHP (2.5 HP continuous) 1-Spd (1) 3.0 BHP (1.5 HP continuous) 1-Spd	(1) 3.0 HP 1-Spd (1) 1.0 HP 1-Spd
Antigua 52 330 gal (1249 L) 845 lbs (383 kg)	84 in. x 84 in. x 36 in. 213 cm x 213 cm x 91 cm	52	6	(2) 6.0 BHP (3.0 HP continuous) 1-Spd	(2) 3.0 HP 1-Spd
Antigua 51 DB 330 gal (1249 L) 845 lbs (383 kg)	84 in. x 84 in. x 36 in. 213 cm x 213 cm x 91 cm	51	6	(1) 6.0 BHP (3.0 HP continuous) 1-Spd (1) 5.0 BHP (2.5 HP continuous) 1-Spd (1) 3.0 BHP (1.5 HP continuous) 1-Spd	(2) 3.0 HP 1-Spd (1) 1.0 HP 1-Spd
Antigua 45 340 gal (1287 L) 845 lbs (383 kg)	84 in. x 84 in. x 36 in. 213 cm x 213 cm x 91 cm	45	6	(2) 5.0 BHP (2.5 HP continuous) 1-Spd	(2) 3.0 HP 1-Spd
Antigua 45 DB 330 gal (1249 L) 845 lbs (383 kg)	84 in. x 84 in. x 36 in. 213 cm x 213 cm x 91 cm	45	6	(2) 5.0 BHP (2.5 HP continuous) 1-Spd (1) 3.0 BHP (1.5 HP continuous) 1-Spd	(2) 3.0 HP 1-Spd (1) 1.0 HP 1-Spd
Antigua 44 SB 325 gal (1230 L) 845 lbs (383 kg)	84 in. x 84 in. x 36 in. 213 cm x 213 cm x 91 cm	44	6	(1) 6.0 BHP (3.0 HP continuous) 1-Spd (1) 3.0 BHP (1.5 HP continuous) 1-Spd	(1) 3.0 HP 1-Spd (1) 1.0 HP 1-Spd
Antigua 33 325 gal (1230 L) 845 lbs (383 kg)	84 in. x 84 in. x 36 in. 213 cm x 213 cm x 91 cm	33	6	(2) 3.0 BHP (1.5 HP continuous) 1-Spd	(2) 1.0 HP 1-Spd
Antigua 33 DB 325 gal (1230 L) 845 lbs (383 kg)	84 in. x 84 in. x 36 in. 213 cm x 213 cm x 91 cm	33	6	(3) 3.0 BHP (1.5 HP continuous) 1-Spd	(3) 1.0 HP 1-Spd
Antigua 32 SB 330 gal (1249 L) 845 lbs (383 kg)	84 in. x 84 in. x 36 in. 213 cm x 213 cm x 91 cm	32	6	(1) 5.0 BHP (2.5 HP continuous) 1-Spd (1) 3.0 BHP (1.5 HP continuous) 1-Spd	(1) 3.0 HP 1-Spd (1) 1.0 HP 1-Spd

BHP: Brake Horsepower | HP: Horsepower | *Upgrade Colors | **Bimini available color | ***Standard on All Models Except for Santa Cruz | +Isla Margarita Available Color | ++Where Allowed By Law | SB: Single Footblaster | DB: Dual Footblaster | *Refer to Owner's Manual for Full Description | ~Volumes are measured per APSP-14 testing. Volumes in field may vary by customers preference.

Nevis 45 295 gal (1117 L) 769 lbs (349 kg)	84 in. x 78 in. x 34 in. 213 cm x 198 cm x 86 cm	45	6	(2) 5.0 BHP (2.5 HP continuous) 1-Spd	(2) 3.0 HP 1-Spd
Nevis 45 DB 300 gal (1136 L) 769 lbs (349 kg)	84 in. x 78 in. x 34 in. 213 cm x 198 cm x 86 cm	45	6	(2) 5.0 BHP (2.5 HP continuous) 1-Spd (1) 3.0 BHP (1.5 HP continuous) 1-Spd	(2) 3.0 HP 1-Spd (1) 1.0 HP 1-Spd
Nevis 44 SB 300 gal (1136 L) 769 lbs (349 kg)	84 in. x 78 in. x 34 in. 213 cm x 198 cm x 86 cm	44	6	(1) 6.0 BHP (3.0 HP continuous) 1-Spd (1) 3.0 BHP (1.5 HP continuous) 1-Spd	(1) 3.0 HP 1-Spd (1) 1.0 HP 1-Spd
Nevis 33 300 gal (1136 L) 769 lbs (349 kg)	84 in. x 78 in. x 34 in. 213 cm x 198 cm x 86 cm	33	6	(2) 3.0 BHP (1.5 HP continuous) 1-Spd	(2) 1.0 HP 1-Spd
Nevis 33 DB 300 gal (1136 L) 769 lbs (349 kg)	84 in. x 78 in. x 34 in. 213 cm x 198 cm x 86 cm	33	6	(3) 3.0 BHP (1.5 HP continuous) 1-Spd	(3) 1.0 HP 1-Spd
Nevis 32 SB 300 gal (1136 L) 769 lbs (349 kg)	84 in. x 78 in. x 34 in. 213 cm x 198 cm x 86 cm	32	6	(1) 5.0 BHP (2.5 HP continuous) 1-Spd (1) 3.0 BHP (1.5 HP continuous) 1-Spd	(1) 3.0 HP 1-Spd (1) 1.0 HP 1-Spd
Santa Cruz 215 gal (814 L) 618 lbs (280 kg)	84 in. x 61 in. x 32 in. 213 cm x 155 cm x 81 cm	33	3	(2) 3.0 BHP (1.5 HP continuous) 1-Spd	(2) 1.0 HP 1-Spd

Standard Features

- Warranty:
 - Lifetime Structure^a
 - 5-Year Surface
 - 3-Year Parts, Labor, Plumbing and Electrical
 - 2-Year Cabinet
- Helix SS Jet Design
- Heater: 5.5 kW for North America (60 Hz); 3.0 kW for Export (50 Hz)
- spaTouch Topside:
 - Color Touchscreen Panel, WiFi Ready (Module Required), Multi-language Interface
- All Seasons Shield Covers
- WhisperPure™ Circulation System with Microfilter
- Full Foam with ABS Bottom
- Blue LED - 3.5 in. Spa Light

Acrylic Colors

- White
 Granite Series
 Luster Series (White Pearl**/+)
 Marble Series (Silver Marble**/+)
 Luster Swirl Series* (Midnight Canyon+, Smoky Mountains+, Storm Clouds, Tuscan Sun+)
 Metallix Series* (Glacier Mountain+)

Cabinets, Covers, Steps

- CABINETS / COVERS / STEPS
 Grey / - / Stone
 Java / Pinot
 Charcoal Black / Midnight / Black

- ROCK CABINET / ROCK STEPS
 Javastone / Javastone
 Sandstone / Sandstone

Optional Features

- LED Lighting:
 - 1) DynaBrite LED:
 - (1) 3.5 in. (6) 2 in. LED Lights, (2) Cabinet Lights, Lighted Air Controls, Pillowfall and/or Tranquility Fall (Option Sold Separately)
 - 2) DynaPoint LED:
 - (1) 3.5 in. (4) 2 in. LED Lights, Cabinet Lights, Lighted Pillowfall and/or Tranquility Fall (Option Sold Separately)
 - 3) DynaStar LED:
 - (1) 3.5 in., (4) 2 in. LED Light
 - 4) Multicolor 10 LED
 - 5) Island Oasis Kick Rail LED (DynaStar, DynaPoint, or DynaBrite Required - Not Available on Bimini & Santa Cruz)
- Water Purification:
 - 1) Diamond AOP™
 - 2) Crystal ProPure™ Ozone Mixing Chamber
 - 3) Ozonator
 - 4) FROG® @ease™ with SmartChlor™++
- Pump/Heater Valves
- PermaBase ABS Pan (N/A on Bimini)
- Extended Warranty: 5-Year Parts, Labor, Plumbing and Electrical
- Stereo System (N/A on Santa Cruz):
 - 1) Premium Infinity® Sound System by Harman
 Bluetooth Receiver, AM/FM, USB, Auxiliary Input, (4) 3 in. Speakers, (2) 6.5 in. Exterior Speakers, Power Subwoofer
 - 2) Bluetooth® Music Experience
 Bluetooth Receiver, AM/FM, USB, Auxiliary Input, (4) 3 in. Speakers, Subwoofer
 - 3) bba™2 Audio
 Fully Integrated Bluetooth Audio Streaming, (4) 3 in. Speakers, Subwoofer
 Optional (2) 3 in. Patio Speakers (Stereo System 2, 3)
- Captiva 52, 46, 33 Side Foot Dome
- Footblasters Option (SB/DB)
 - Clear LED Footblaster (DynaPoint or DynaBrite LED Required)
- Pillowfall
 - 18 in. Tranquility Fall
- Worldwide WiFi App Module:
 - Download App for Smart Device to Control Spa Wirelessly.
- Maintenance Free Grandwood Cabinet
- Cover Lifter
 - 1) Manual
 - 2) Hydraulic

BHP: Brake Horsepower | HP: Horsepower | *Upgrade Colors | **Bimini available color | ***Standard on All Models Except for Santa Cruz | +Isla Margarita Available Color | ++Where Allowed By Law | SB: Single Footblaster | DB: Dual Footblaster | *Refer to Owner's Manual for Full Description | ~Volumes are measured per APSP-14 testing. Volumes in field may vary by customers preference.